milwaukee		Electronics Kft. Revision nr.5 Dated 11/10/2022 Printed on 11/10/2022 Page n. 1/9 Page n.			
	MA9012 - Refilling Electrolyte Solution 1M P	Potassium Nitrate for Double Junction Electrodes. Replaced revision:4 (Dated 04/11/2020)			
	Sa	afety Data Sheet			
SECTION 1. Identifica	tion of the substance/mix	kture and of the company/undertaking			
1.1. Product identifier					
Code Product name	MA9012 Refilling l	Electrolyte Solution 1M Potassium Nitrate for Double Junction Electrodes			
1.2. Relevant identified uses o	f the substance or mixture and use	es advised against			
Intended use	Referenc	Reference Electrolyte Fill Solution for Double Junction and ISE Electrodes.			
1.3. Details of the supplier of the	ne safety data sheet				
Name Full address District and Country e-mail address of the comp responsible for the Safety D	Alsókiköt H6726 Tel. Fax etent person	ee Electronics Kft. tő sor 11. Szeged Hungary +36-62-428-050 +36-62-428-051			
	-				
1.4. Emergency telephone nur For urgent inquiries refer to	Austria te 9154409 8212 12 (exchang 8092166 0000,Me Portugal	el.: +431 406 43 43 - Belgium tel.: 070/245.245 - Bulgaria tel.: +359 2 9 - Czech Republic tel.: +420 224 919 293, +420 224 915 402 - Denmark 12 - Estonia tel.: 112 - Finland tel.: (09) 471 977 (direct) or (09) 4711 ge) - France tel. ORFILA (INRS) : + 33 (0)1 45 42 59 59 - Ireland tel.: 01 5 - Lithuania tel.: +370 5 236 20 52, +370 687 53378 - Malta tel: 2545 edicines & Poisons Info Office tel.: 2545 6504 - Norway tel.:22 59 13 00 - tel.: 808 250 143 - Romania tel. 021.318.36.06 (8:00 – 15:00) – Slovakia 5477 4166 - Spain tel.: + 34 91 562 04 20 - Sweden tel.: 112; 08-331231 :00)			

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication:

#### 2.2. Label elements

Hazard pictograms:	
Signal words:	
Hazard statements:	
Precautionary statements:	

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\ge 0.1\%$ .

\_\_\_

EN

#### SECTION 3. Composition/information on ingredients

#### 3.2. Mixtures

The product does not contain substances classified as being hazardous to human health or the environment pursuant to the provisions Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and supplements) in such quantities as to require the statement.

## SECTION 4. First aid measures

4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## SECTION 5. Firefighting measures

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

## GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with

Normal tire lighting clothing I.e. tire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

## 7.3. Specific end use(s)

Information not available

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

Regulatory References:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
LTU	Lietuva	Jsakymas dėl lietuvos higienos normos hn 23:2011 "cheminių medžiagų profesinio poveikio ribiniai dydžiai. Matavimo ir poveikio vertinimo bendrieji reikalavimai" patvirtinimo
LVA	Latvija	Grozījumi Ministru kabineta 2007. gada 15. maija noteikumos Nr. 325 "Darba aizsardzības prasības saskarē ar ķīmiskajām vielām darba vietās" (prot. Nr. 32 18. §; prot. Nr. 1 22. §)

				POTASSI	UM NITRATE		
Threshold Limit Va	lue						
Туре	Country	TWA/8h		STEL/15	min	Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
TLV	BGR	5					
RD	LTU	5					
RV	LVA	5					
Health - Derived no-effect level - DNFL / DMFL							

ricaliti - Derived no-erice									
	Effects or	n consumers			Effects on v	vorkers			
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic	
	local	systemic	local	systemic	local	systemic	local	systemic	
Inhalation							VND	36,7	
								mg/m3	

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

Comply with the safety measures usually applied when handling chemical substances. HAND PROTECTION None required. SKIN PROTECTION None required. EYE PROTECTION None required. RESPIRATORY PROTECTION If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure



MA9012 - Refilling Electrolyte Solution 1M Potassium Nitrate for Double Junction Electrodes.

Revision nr.5 Dated 11/10/2022 Printed on 11/10/2022 Page n. 4 / 9 Replaced revision:4 (Dated 04/11/2020)

compliance with environmental standards.

## SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information				
Appearance	not available					
Colour	not available					
Odour Melting point / freezing point	not available not available					
Initial boiling point	not available					
Flammability	not available					
Lower explosive limit	not available					
Upper explosive limit	not available					
Flash point	not applicable					
Auto-ignition temperature	not available					
Decomposition temperature	not available					
pH	6.5	Method:ASTM D1293-18				
pri	0.0	Temperature: 25 °C				
Kinematic viscosity	not available	Temperature. 25°C				
Solubility	not available					
Partition coefficient: n-octanol/water	not available					
Vapour pressure	175 mmHg					
Density and/or relative density	1.06					
Relative vapour density	not available					
Particle characteristics	not applicable					
9.2. Other information						
9.2.1. Information with regard to physical hazard c	lasses					
Information not available						
9.2.2. Other safety characteristics						
Total solids (250°C / 482°F)	9.57 %					
SECTION 10. Stability and reactivity						
10.1. Reactivity						
There are no particular risks of reaction with other	substances in normal conditions of use.					
10.2. Chemical stability						
The product is stable in normal conditions of use a	The product is stable in normal conditions of use and storage.					
10.3. Possibility of hazardous reactions						
No hazardous reactions are foreseeable in normal	conditions of use and storage.					
POTASSIUM NITRATE Risk of explosion with: Cyanides, Sulphides, combustible substances, Fluorine, Potassium, acetates, oxidisable substances, phosphides, Organic Substances, Peroxides Aluminium, antimony, charcoal, Titanium, Zinc, Metals, in powder form, with, heat arsenic, Boron, Germanium, nitrides, magnesium, sodium thiosulphate, phosphorus, strong reducing agents, sulfur, sugars, with, heat charcoal, with, sulfur, and, Heat. Generates dangerous gases or fumes in contact with: Acids. Possible formation of: nitrogen dioxide. Risk of ignition or formation of inflammable gases or vapours with: calcium silicide.						
10.4. Conditions to avoid						
None in particular. However the usual precautions	used for chemical products should be respe	cted.				
POTASSIUM NITRATE						
Keen away from onen flomes, het aufesse and	an and a finalities.					

Keep away from open flames, hot surfaces and sources of ignition.

#### 10.5. Incompatible materials

Information not available

milwaukee		Electronics Kft.	Revision nr.5 E Dated 11/10/2022 Printed on 11/10/2022 Page n. 5 / 9 Replaced revision.4 (Dated 04/11/2020)			
SECTION 10. Stability and						
10.6. Hazardous decompositio	in products					
Information not available						
SECTION 11. Toxicolo	-					
According to currently availa industrial practices.	able data, this product has not ye	t produced health damages. Anyway, it must	be handled according to good			
11.1. Information on hazard cla	asses as defined in Regulation (E	EC) No 1272/2008				
Metabolism, toxicokinetics,	mechanism of action and other in	formation				
Information not available						
Information on likely routes	of exposure					
Information not available						
Delayed and immediate effe	ects as well as chronic effects fror	m short and long-term exposure				
Information not available						
Interactive effects						
Information not available						
ACUTE TOXICITY						
ATE (Inhalation) of the mixtu ATE (Oral) of the mixture: ATE (Dermal) of the mixture		Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)				
SKIN CORROSION / IRRIT	ATION					
Does not meet the classification	ation criteria for this hazard class					
SERIOUS EYE DAMAGE /	IRRITATION					
Does not meet the classifica	ation criteria for this hazard class					
RESPIRATORY OR SKIN S	SENSITISATION					
Does not meet the classification	ation criteria for this hazard class					
GERM CELL MUTAGENICI	ITY					
Does not meet the classification	ation criteria for this hazard class					
CARCINOGENICITY						
Does not meet the classification	ation criteria for this hazard class					
REPRODUCTIVE TOXICIT	<u>Y</u>					
Does not meet the classification	ation criteria for this hazard class					
STOT - SINGLE EXPOSUR	STOT - SINGLE EXPOSURE					
Does not meet the classification	ation criteria for this hazard class					
STOT - REPEATED EXPOS	SURE					
Does not meet the classification	ation criteria for this hazard class					
ASPIRATION HAZARD						
Does not meet the classification	ation criteria for this hazard class					
			@EPY 11.3.0 - SDS 1004.14			



MA9012 - Refilling Electrolyte Solution 1M Potassium Nitrate for Double Junction Electrodes.

FN

SECTION 11. Toxicological information ... / >>

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

Information not available

#### 12.2. Persistence and degradability

Information not available

#### 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

### **SECTION 13. Disposal considerations**

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

EN Milwaukee Electronics Kft. 1/10/2022 on 11/10/2022 7 / 9 (m) milwaukee MA9012 - Refilling Electrolyte Solution 1M Potassium Nitrate for Double Junction Electrodes. sion:4 (Dated 04/11/2020) **SECTION 14. Transport information** ... / >> 14.4. Packing group not applicable 14.5. Environmental hazards not applicable 14.6. Special precautions for user not applicable 14.7. Maritime transport in bulk according to IMO instruments Information not relevant **SECTION 15. Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Seveso Category - Directive 2012/18/EU: None Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 None Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors Regulated explosives precursor The acquisition, introduction, possession or use of that regulated explosives precursor by members of the general public is subject to reporting obligations as set out in Article 9. All suspicious transactions and significant disappearances and thefts must be reported to the relevant national contact point. Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%. Substances subject to authorisation (Annex XIV REACH) None Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None Substances subject to the Rotterdam Convention: None Substances subject to the Stockholm Convention: None Healthcare controls Information not available German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017) WGK 1: Low hazard to waters 15.2. Chemical safety assessment A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3. SECTION 16. Other information LEGEND: - ADR: European Agreement concerning the carriage of Dangerous goods by Road - ATE: Acute Toxicity Estimate - CAS: Chemical Abstract Service Number - CE50: Effective concentration (required to induce a 50% effect) - CE: Identifier in ESIS (European archive of existing substances)

- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals



MA9012 - Refilling Electrolyte Solution 1M Potassium Nitrate for Double Junction Electrodes.

## SECTION 16. Other information ... / >>

- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP) of the European Pa
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

## Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.



MA9012 - Refilling Electrolyte Solution 1M Potassium Nitrate for Double Junction Electrodes.

#### SECTION 16. Other information ... / >>

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 02 / 09 / 11 / 12 / 15 / 16.