

MA9071 - Electrolyte Solution for D.O. probes

Revision nr.4 Dated 10/07/2020

Printed on 22/06/2021
Page n. 1 / 10
Replaced revision:3 (Dated 07/03/2018)

## **Safety Data Sheet**

According to Annex II to REACH - Regulation 2015/830

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Code MA9071

Product name Electrolyte Solution for D.O. probes

1.2. Relevant identified uses of the substance or mixture and uses advised against

Electrolyte Fill Solution for Polarographic Dissolved Oxygen Probes.

1.3. Details of the supplier of the safety data sheet

Milwaukee Electronics Kft. Name

Full address Alsókikötő sor 11. **District and Country** H6726 Szeged Hungary

> Tel. +36-62-428-050 Fax +36-62-428-051

e-mail address of the competent person

responsible for the Safety Data Sheet info@milwaukeeinst.com

1.4. Emergency telephone number

For urgent inquiries refer to Austria tel.: +431 406 43 43 - Belgium tel.: 070/245.245 - Bulgaria tel.: +359 2

9154409 - Czech Republic tel.: +420 224 919 293, +420 224 915 402 - Denmark tel.: 8212 12 12 - Estonia tel.: 112 - Finland tel.: (09) 471 977 (direct) or (09) 4711 (exchange) - France tel. ORFILA (INRS) : + 33 (0)1 45 42 59 59 - Ireland tel.: 01 8092166 - Lithuania tel.: +370 5 236 20 52, +370 687 53378 - Malta tel: 2545 0000, Medicines & Poisons Info Office tel.: 2545 6504 - Norway tel.: 22 59 13 00 -Portugal tel.: 808 250 143 - Romania tel. 021.318.36.06 (8:00 - 15:00) - Slovakia tel.:

+421 2 5477 4166 - Spain tel.: + 34 91 562 04 20 - Sweden tel.: 112; 08-331231

(9:00-17:00)

## **SECTION 2. Hazards identification**

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Hazardous to the aquatic environment, chronic H412 Harmful to aquatic life with long lasting effects.

toxicity, category 3

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

Signal words:

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

Avoid release to the environment.



MA9071 - Electrolyte Solution for D.O. probes

Revision nr.4 Dated 10/07/2020 Printed on 22/06/2021 Page n. 2 / 10

Page n. 2 / 10 Replaced revision:3 (Dated 07/03/2018)

#### SECTION 2. Hazards identification .../>>

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

## **SECTION 3. Composition/information on ingredients**

#### 3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

SILVER CHLORIDE

CAS 7783-90-6 0,0025 ≤ x < 0,025 Met. Corr. 1 H290, Aquatic Acute 1 H400 M=1000, Aquatic Chronic 1 H410 M=100

EC 232-033-3

INDEX

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

No episodes of harm to the staff authorised to use the product have been reported. The following general measures should be adopted as necessary:

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Do not give anything by mouth to an unconscious person.

EYES and SKIN: Wash with plenty of water. In the event of persistent irritation, get medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

## 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

## 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6. Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent



## MA9071 - Electrolyte Solution for D.O. probes

Revision nr.4 Dated 10/07/2020 Printed on 22/06/2021
Page n. 3 / 10
Replaced revision:3 (Dated 07/03/2018)

## **SECTION 6. Accidental release measures**

any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

## **SECTION 8. Exposure controls/personal protection**

## 8.1. Control parameters

Regulatory References:

AUS	Osterreich	Gesamte Rechtsvorschrift für Grenzwerteverordnung 2018, Fassung vom 17.10.2018
BEL	Belgique	AR du 11/3/2002. La liste est mise à jour pour 2017
CHE	Suisse / Schweiz	Valeurs limites d'exposition aux postes de travail en Suisse: valeurs VME/VLE. Version Mars 2018 (SUVA)
DEU	Deutschland	TRGS 900 - Seite 1 von 69 (Fassung 29.03.2019)- Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte
DNK	Danmark	Bekendtgørelse om ændring af bekendtgørelse om grænseværdier for stoffer og materialer1- BEK nr 655 af 31/05/2018
ESP	España	LÍMITES DE EXPOSICIÓN PROFESIONAL PARA AGENTES QUÍMICOS EN ESPAÑA 2019 (INSST)
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Third edition published 2018)
HUN	Magyarország	A pénzügyminiszter 7/2018. (VIII. 29.) PM rendelete a munkahelyek kémiai biztonságáról szóló 25/2000. (IX. 30.) EüM–SZCSM együttes rendelet módosításáról
POL	Polska	ROZPORZĄDZENIE MINISTRA RODZINY, PRACY I POLITYKI SPOŁECZNEJ z dnia 12 czerwca 2018 r
ROU	România	HOTĂRÂRE nr. 584 din 2 august 2018 pentru modificarea Hotărârii Guvernului nr. 1.218/2006 privind stabilirea cerințelor minime de securitate și sănătate în muncă pentru asigurarea protecției lucrătorilor împotriva riscurilor legate de prezența agenților chimici
SWE	Sverige	Hygieniska gränsvärden, AFS 2018:1
EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2020

Consents Doubte and briff für Consents and all 2010 Foreign and 17.10.2010

Skin

# Milwaukee Electronics Kft.

MA9071 - Electrolyte Solution for D.O. probes

Revision nr.4 Dated 10/07/2020 Printed on 22/06/2021 Page n. 4 / 10 Replaced revision:3 (Dated 07/03/2018)

303

mg/kg

bw/d

910

mg/kg

bw/d

SECTION 8. Exposure controls/personal protection .../>>

910

mg/kg bw/d

Predicted no-effect concentration - PNEC

#### POTASSIUM CHLORIDE

Normal value in fresh	water					0,1	mg/l	
Normal value in marii	ne water					0,1	mg/l	
Normal value for water, intermittent release							mg/l	
Normal value of STP microorganisms						10	mg/l	
Health - Derived no-eff	ect level - D	NEL / DMEL						
	Effects or	n consumers			Effects on workers			
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
				-,	10001	o y o to i i ii o	10001	dyotorino
Oral		455		91	10001	oyotoniio	10001	Systemic
Oral		455 mg/kg bw/d		,	iooai	oyotoo	10001	Systemis
Oral				91	10001	5320	iodai	1064

182

mg/kg bw/d

#### SILVER CHLORIDE

Threshold Limit	Value								
Type	Country	TWA/8h		STEL/15	STEL/15min				
		mg/m3	ppm	mg/m3	ppm				
MAK	AUS	0,01				INHAL			
VLEP	BEL	0,01					Ag compo	ound	
MAK	CHE	0,01					Ag compo	ound	
AGW	DEU	0,01					Ag compo	ound	
TLV	DNK	0,01		0,02					
VLA	VLA ESP 0,01					Ag compound			
VLEP	VLEP FRA 0,01						Ag compound		
WEL	EL GBR 0,01						Ag compound		
AK	K HUN 0,01					Ag compound			
NDS/NDSCh	POL	0,05					Ag compo	ound	
TLV	ROU	0,01				Ag com		ound	
NGV/KGV	NGV/KGV SWE 0,01						Ag compo	ound	
OEL	,-					Ag compo	ound		
TLV-ACGIH						Ag compo	ound		
Predicted no-effe	ect concentr	ation - PNE							
Normal value in fresh water							0,04	μg/L	
Normal value in marine water							0,86	μg/L	
Normal value for fresh water sediment							438	mg/kg	
Normal value f	Normal value for marine water sediment						438	mg/kg	
Normal value of	organisms					0,025	mg/l		
Normal value f	or the terrest	rial compartn	nent				0,794	mg/kg/d	

#### Legend

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

#### 8.2. Exposure controls

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION

None required.

SKIN PROTECTION

None required.

**EYE PROTECTION** 

None required.

RESPIRATORY PROTECTION

None required, unless indicated otherwise in the chemical risk assessment.

**ENVIRONMENTAL EXPOSURE CONTROLS** 

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.



Colour

## Milwaukee Electronics Kft.

MA9071 - Electrolyte Solution for D.O. probes

Revision nr.4 Dated 10/07/2020 Printed on 22/06/2021 Page n. 5 / 10 Replaced revision:3 (Dated 07/03/2018)

## **SECTION 9. Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Information **Properties** Value Appearance liquid

colourless

Odour odourless Odour threshold Not available Melting point / freezing point Not available Initial boiling point Not available Not available Boiling range Flash point Not applicable Evaporation rate Not available Flammability (solid, gas) Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available 17,5 Vapour pressure mmHg Vapour density Not available Relative density 1,04

Solubility soluble in water Partition coefficient: n-octanol/water Not available Not available Auto-ignition temperature Not available Decomposition temperature Viscosity Not available Explosive properties not applicable not applicable Oxidising properties

## 9.2. Other information

Total solids (250°C / 482°F) 7,16 % VOC (Directive 2010/75/EC): 0 VOC (volatile carbon): 0

## **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

## 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

## 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### SILVER CHLORIDE

Risk of explosion on contact with: alkaline metals, ammonia, aluminium powder.

Reacts violently with: peroxides.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

Information not available

## 10.6. Hazardous decomposition products

Information not available



MA9071 - Electrolyte Solution for D.O. probes

Revision nr.4 Dated 10/07/2020 Printed on 22/06/2021 Page n. 6 / 10 Replaced revision:3 (Dated 07/03/2018)

## **SECTION 11. Toxicological information**

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices.

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

ATE (Oral) of the mixture:

ATE (Dermal) of the mixture:

Not classified (no significant component)

Not classified (no significant component)

SILVER CHLORIDE LD50 (Oral)

5000 mg/kg Rat - OECD 401

## SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class



MA9071 - Electrolyte Solution for D.O. probes

Revision nr.4 Dated 10/07/2020 Printed on 22/06/2021 Page n. 7 / 10 Replaced revision:3 (Dated 07/03/2018)

## **SECTION 12. Ecological information**

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

#### 12.1. Toxicity

SILVER CHLORIDE

LC50 - for Fish 0,0012 mg/l/96h Pimephales promelas 0,00022 mg/l/48h Daphnia magna FC50 - for Crustacea

#### 12.2. Persistence and degradability

SILVER CHLORIDE Solubility in water

1,88 mg/l

## 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

## 12.6. Other adverse effects

Information not available

## **SECTION 13. Disposal considerations**

## 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

## 14.1. UN number

Not applicable

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

Not applicable

## 14.4. Packing group

Not applicable

## 14.5. Environmental hazards

Not applicable



MA9071 - Electrolyte Solution for D.O. probes

Revision nr.4 Dated 10/07/2020 Printed on 22/06/2021 Page n. 8 / 10 Replaced revision:3 (Dated 07/03/2018)

#### **SECTION 14. Transport information** .../>>

#### 14.6. Special precautions for user

Not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

## **SECTION 15. Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters

## 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Met. Corr. 1 Substance or mixture corrosive to metals, category 1

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1 Hazardous to the aquatic environment, chronic toxicity, category 1 **Aquatic Chronic 1 Aquatic Chronic 3** Hazardous to the aquatic environment, chronic toxicity, category 3

H290 May be corrosive to metals. H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410 H412 Harmful to aquatic life with long lasting effects.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%



## MA9071 - Electrolyte Solution for D.O. probes

Revision nr.4 Dated 10/07/2020 Printed on 22/06/2021 Page n. 9 / 10 Replaced revision:3 (Dated 07/03/2018)

#### SECTION 16. Other information .../>>

- IMDG: International Maritime Code for dangerous goods- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### **GENERAL BIBLIOGRAPHY**

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Regulation (EU) 2020/217 (XIV Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

## CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:



MA9071 - Electrolyte Solution for D.O. probes

Revision nr.4 Dated 10/07/2020 Printed on 22/06/2021 Page n. 10 / 10 Replaced revision:3 (Dated 07/03/2018)

ΕN

SECTION 16	Other information	/ >>

The following sections were modified: 01 / 03 / 09 / 13 / 15.

©EPY 9.11.0 - SDS 1004.13