om milwaukee		Electronics Kft. eroxide Reagent	Revision nr.7 Dated 09/05/2025 Printed on 09/05/2025 Printed on 09/05/2025 Page n. 1/10 Replaced revision:6 (Dated 26/03/2024)
	1013900-0 - 1	eroxide Reagent	
	S	Safety Data Shee	et
	According to A	nnex II to REACH - Regulation ((EU) 2020/878
SECTION 1. Identificat	tion of the substance/m	ixture and of the compa	any/undertaking
1.1. Product identifier			, ,
Code Product name	MI590 Perox	B-0 de Reagent B	
1.2. Relevant identified uses of	the substance or mixture and u	ises advised against	
Intended use	Deterr	nination of Peroxides in Edible (Dil.
1.3. Details of the supplier of th	ne safety data sheet		
Name Full address District and Country		ukee Electronics Kft. kötő sor 11. Szeged Hungary +36-62-428-050 +36-62-428-051	
e-mail address of the comperent responsible for the Safety D	etent person	nilwaukeeinst.com	
1.4. Emergency telephone num	nber		
For urgent inquiries refer to	29154 8212 (excha 01809 Medic tel.: 80	409 - Czech Republic tel.: +420 12 12 - Estonia tel.: 112 - Finlan inge) - France tel. ORFILA (INR 2166 - Lithuania tel.: +370 5 23 nes & Poisons Info Office tel.: 2 18 250 143 - Romania tel.: 021.3	tel.: 070/245.245 - Bulgaria tel.: +359 224 919 293, +420 224 915 402 - Danmark tel.: d tel.: (09) 471 977 ((direct) or (09) 47711 S) : + 33 (0)1 45 42 59 59 - Ireland tel.: 6 20 52, +370 687 53378 - Malta tel.: 2545 0000, 545 6504 - Norway tel.: 22 59 13 00 - Portugal 818.36.06 (8:00 - 15:00) - Slovakia tel.: +421 2 4 20 - Sweden tel.: 112; 08-331231 (9:00-17:00)
SECTION 2. Hazards	identification		
2.1. Classification of the substa	ance or mixture		
		, , <u>-</u>	on 1272/2008 (CLP) (and subsequent s with the provisions of (EU) Regulation
Any additional information c	oncerning the risks for health a	nd/or the environment are given	in sections 11 and 12 of this sheet.
Hazard classification and inc Specific target organ toxi category 1	dication: icity - repeated exposure,		auses damage to organs through prolonged or beated exposure.
2.2. Label elements			
Hazard labelling pursuant to	EC Regulation 1272/2008 (CL	P) and subsequent amendments	s and supplements.
Hazard pictograms:			
Signal words:	Danger		

Hazard statements: H372

Causes damage to organs through prolonged or repeated exposure.

	Milwauk	ee Electronics Kft.	Revision nr.7 Dated 09/05/2025 Printed on 09/05/2025	EN
milwaukee	MI590B-0 ·	- Peroxide Reagent B	Page n. 2 / 10 Replaced revision:6 (Dated 26/03/2024)	
SECTION 2. Hazards ident	ification / >>			
Precautionary statements:				
P501	Dispose of contents in	accordance with local regulation.		
P102	Keep out of reach of cl	hildren.		
P101		eded, have product container or label at hand.		
P314		ttention if you feel unwell.		
P270	Do not eat, drink or sm	noke when using this product.		
Contains:	POTASSIUM IODIDE			
2.3. Other hazards				
On the basis of available da	ata, the product does not co	ntain any PBT or vPvB in percentage ≥ than 0	,1%.	
The product does not conta	in substances with endocrir	ne disrupting properties in concentration ≥ 0.19	%.	
SECTION 3. Composi	tion/information on i	ngredients		
3.2. Mixtures				
Contains:				
Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)		
POTASSIUM IODIDE				

POTASSIOM IODIDE INDEX EC 231-659-4 CAS 7681-11-0 REACH Reg. 01-2119906339-35

The full wording of hazard (H) phrases is given in section 16 of the sheet.

 $75 \le x \le 99$

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

STOT RE 1 H372

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Get medical advice / attention if you feel unwell.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

Revision nr.7 Dated 09/05/2025 Printed on 09/05/2025 Page n. 3 / 10 Replaced revision:6 (Dated 26/03/2024)

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT Choose the most appropriate extinguishing equipment for the specific case. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE The product is neither flammable nor combustible.

POTASSIUM IODIDE Hydrogen iodide, Potassium oxides.

5.3. Advice for firefighters

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

6.1D

Storage class TRGS 510 (Germany):

7.3. Specific end use(s)

Information not available

Milwaukee Electronics Kft. MI590B-0 - Peroxide Reagent B

Revision nr.7 Dated 09/05/2025 Printed on 09/05/2025 Page n. 4 / 10 Replaced revision:6 (Dated 26/03/2024)

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

TLV-ACGIH

ACGIH 2023

				POTA	ASSIUM IODIDE				
Threshold Limit Val	ue								
Туре	Country	TWA/8h			STEL/15min		Remarks / Observa	ations	
		mg/m3	ppm		mg/m3	ppm			
TLV-ACGIH			0,01						
Predicted no-effect	concentration	n - PNEC							
Normal value in	fresh water						0,007	mg/l	
Normal value fo	r fresh water	sediment					0,007	mg/kg	
Normal value fo	r water, intern	nittent release					0,075	mg/l	
Health - Derived no	-effect level -	DNEL / DMEL						-	
	Effect	ts on consumers	5			Effects of	on workers		
Route of exposu	ire Acute	e Acute		Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	;	local	systemic	local	systemic	local	systemic
Oral				VND	0,01				
					mg/kg bw/o	b			
Inhalation				VND	0,035			VND	0,07
					mg/m3				mg/m3
01.1				VND	1			VND	1
Skin					mg/kg bw/o	4			mg/kg
Skin					mg/ng bw/				iliy/ky

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment. The above values are not TLVs, but guide values, to be used for particles that do not have their own TLV and that are insoluble or poorly soluble in water and have low toxicity.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Exposure levels must be kept as low as possible to avoid significant build-up in the organism. Manage personal protective equipment so as to guarantee maximum protection (e.g. reduction in replacement times).

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity

reactions.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

EN

Milwaukee Electronics Kft. MI590B-0 - Peroxide Reagent B

Revision nr.7 Dated 09/05/2025 Printed on 09/05/2025 Page n. 5 / 10 Replaced revision:6 (Dated 26/03/2024)

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Initial boiling point not available Flammability incombustible Lower explosive limit not available Upper explosive limit not available Plash point not available Auto-ignition temperature not available Decomposition temperature not available Decomposition temperature not available Decomposition temperature not available Solubility soluble in water Partition coefficient: n-octanol/water not available Vapour pressure not available Particle characteristics not available Particle characteristics not available Particle characteristics not available 9.2.1. Information soluble in water 9.2.2. Other safety characteristics not available 9.2.2. Other safety characteristics 100,00 % ECTION 10. Stability and reactivity 100,00 % ECTION 10. Stability and reactivity 100,00 % There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	melting point for the main
Colour vory odourless Melting point freezing point 681 °C Remark: Lower component Substance: PC Initial boiling point not available isomobustible Lower explosive limit not available Upper explosive limit not available Bellammability incombustible Decomposition temperature not available Decomposition temperature not available pt 5,8 - 6,2 Method: ASTM Concentration Temperature: Not available not available Bellative available not available available below pressure not available not available below pressure not available not available available below pressure not available not available available below pressure not available be	
Odour odourless Melting point / freezing point 681 °C Remark:Lowe: component Substance:PC Initial boiling point not available Substance:PC Flammability incombustible Substance:PC Plammability not available Substance:PC Plammability not available Substance:PC Plammability not available Substance:PC Plammability not available Substance:PC Decomposition temperature not available Concentration pH 5.8 - 6.2 Method:ASTM Kinematic viscosity not available Concentration Solubility soluble in water Partition coefficient: n-octanol/water not available Partition coefficient: n-octanol/water not available Solubility Solubility Partition coefficient: n-octanol/water not available Particle characteristics Not available Particle characteristics not available Particle characteristics Particle characteristics Particle characteristics not available Particle characteristics Particle characteristics Poll 100,00 % ECTION 10. Stability and reactivity 1. Reactivity 1. Reactivity There are no particular risks of reaction with other substances	
Metting point / freezing point 681 °C Remark:Lowe: component Substance:PC Initial boiling point not available Substance:PC Flammability incombustible Lower explosive limit not available Upper explosive limit not available P Lower explosive limit not available P Auto-ignition temperature not available P pH 5.8 - 6.2 Method:ASTM Kinematic viscosity not available P Solubility not available P Partition coefficient: n-octanol/water not available P Particle characteristics not available P Particle characteristics not available P P. Other information P 9.2.1. Information with regard to physical hazard classes P Information not available P P P P 9.2.1. Information P P P P	
Initial boiling point not available Flammability incombustible Lower explosive limit not available Upper explosive limit not available Plash point not available Auto-ignition temperature not available Decomposition temperature not available Decomposition temperature not available Decomposition temperature not available Solubility soluble in water Partition coefficient: n-octanol/water not available Vapour pressure not available Particle characteristics not available Particle characteristics not available Particle characteristics not available 9.2.1. Information soluble in water 9.2.2. Other safety characteristics not available 9.2.2. Other safety characteristics 100,00 % ECTION 10. Stability and reactivity 100,00 % ECTION 10. Stability and reactivity 100,00 % There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Substance:PC Initial boiling point not available Flammability incombustible Lower explosive limit not available Upper explosive limit not available Plash point not available pH 5,8 - 6,2 Method:ASTM Concentration Temperature Numerr Solubility soluble in water Partition coefficient: n-octanol/water not available Partitice characteristics Cother information 9.2.1. Information 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	ASSIUM IODIDE
Initial boiling point not available incombustible in water partition coefficient: n-octanol/water not available in water Partition coefficient: n-octanol/water not available incombustible in water partition coefficient: n-octanol/water not available incombustible in water partition coefficient: n-octanol/water not available in water partition coefficient: n-octanol/water not available in water partition coefficient: n-octanol/water not available in ont available in the particle characteristics not available in water particle (characteristics not available in normal conditions of use and storage. POTASSIUM IODIDE in the product is stable in normal conditions of use and storage.	ASSIUM IODIDE
Flammability incombustible Lower explosive limit not available Upper explosive limit not available Flash point not available Particle ciscosity not available ph 5.8 - 6,2 Method:ASTM Concentration Kinematic viscosity not available Solubility soluble in water Partition coefficient n-octanol/water not available Density and/or relative density not available Density and/or relative density not available Particle characteristics not available 9.2.1. Information with regard to physical hazard classes Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Flammability incombustible Lower explosive limit not available Upper explosive limit not available Flash point not available Particle ciscosity not available ph 5.8 - 6,2 Method:ASTM Concentration Kinematic viscosity not available Solubility soluble in water Partition coefficient n-octanol/water not available Density and/or relative density not available Density and/or relative density not available Particle characteristics not available 9.2.1. Information with regard to physical hazard classes Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Lower explosive limit not available Upper explosive limit not available Flash point not available Decomposition temperature not available Decomposition temperature not available pH 5.8 - 6.2 Method:ASTM Concentration Temperature: Kinematic viscosity not available Solubility soluble in water Partition coefficient: n-octanol/water not available Partition coefficient: n-octanol/water not available Partition coefficient: n-octanol/water not available Particle characteristics not available Particle characteristics not available 2. Other information 9.2.1. Information 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Upper explosive limit not available Flash point not available Cecomposition temperature not available Decomposition temperature not available pH 5,8 - 6,2 Method:ASTM Concentration Temperature: Kinematic viscosity not available Solubility soluble in water Partition coefficient: n-octanol/water not available Density and/or relative density not available Relative vapour density not available Particle characteristics not available 2. Other information 9.2.1. Information with regard to physical hazard classes Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Flash point not applicable Auto-ignition temperature not available Decomposition temperature not available Decomposition temperature not available Decomposition temperature not available Square Partition Concentration Temperature: Kinematic viscosity not available Solubility soluble in water Partition coefficient: n-octanol/water not available Density and/or relative density not available Relative vapour density not available Particle characteristics not available Particle characteristics not available Solubility Soluble in water Particle characteristics not available Relative vapour density not available Particle characteristics Not available Solubility Soluble in water Particle characteristics Not available Relative vapour density not available Particle characteristics Not available Solubility Not available Solubility Not available Neative density Not available Neative density Not available Neative density Not available Neative density Not available Neative Solution Not Neative Solution Neat	
Auto-ignition temperature not available Decomposition temperature not available pH 5,8 - 6,2 Method:ASTM Concentration Temperature: Kinematic viscosity not available Solubility soluble in water Partition coefficient: n-octanol/water not available Vapour pressure not available Density and/or relative density not available Relative vapour density not available Particle characteristics not available 2. Other information 9.2.1. Information with regard to physical hazard classes Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1.00,00 % CTION 10. Stability and reactivity 1.00,00 % Chemical stability There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE Varian explanation of use and storage.	
Decomposition temperature not available pH 5.8 - 6.2 Method:ASTM Concentration Temperature: Kinematic viscosity not available Solubile in water Partition coefficient: n-octanol/water not available Temperature: Vapour pressure not available Temperature: Partition coefficient: n-octanol/water not available Relative vapour density Density and/or relative density not available Relative vapour density Not available Particle characteristics not available Relative vapour density Not available Particle characteristics not available Relative vapour density Not available 9.2.1. Information 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % CCTION 10. Stability and reactivity 1. Reactivity Intere are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE POTASSIUM IODIDE	
pH 5,8 - 6,2 Method:ASTM Concentration Temperature: Kinematic viscosity not available Temperature: Solubility soluble in water Partition coefficient: n-octanol/water not available Vapour pressure not available Density and/or relative density not available Relative vapour density not available Particion coefficient: n-octanol/water not available Partition coefficient: n-octanol/water not available Partition coefficient: n-octanol/water Not available Pensity and/or relative density not available not available Particion characteristics Not available Particle characteristics not available Particion not available Particion characteristics 9.2.1. Information with regard to physical hazard classes Information not available Particion characteristics 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % Particion characteristics Total solids (250°C / 482°F) 100,00 % Particion characteristics Particion characteristics 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal condition	
pH 5,8 - 6,2 Method:ASTM Concentration Temperature: Kinematic viscosity not available Temperature: Solubility soluble in water Partition coefficient: n-octanol/water not available Vapour pressure not available Density and/or relative density not available Relative vapour density not available Particle characteristics not available Particle characteristics not available Particle characteristics Particle characteristics P. Other information 9.2.1. Information with regard to physical hazard classes Information not available Particle characteristics 9.2.1. Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. . . 2. Chemical stability The product is stable in normal conditions of use and storage. . . POTASSIUM IODIDE 	
Concentration Temperature: Kinematic viscosity not available Solubility soluble in water Partition coefficient: n-octanol/water not available Density and/or relative density not available Density and/or relative density not available Relative vapour density not available Particle characteristics not available Particle characteristics not available 9.2.1. Information 9.2.1. Information 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	01293-18
Kinematic viscosity not available Solubility soluble in water Partition coefficient: n-octanol/water not available Partition coefficient: n-octanol/water not available Partition coefficient: n-octanol/water not available Partition coefficient: n-octanol/water not available Partition coefficient: n-octanol/water not available Partition coefficient: n-octanol/water Partition Pensity and/or relative density not available Particle characteristics Particle characteristics Particle characteristics not available Particle characteristics Particle characteristics 9.2.1. Information with regard to physical hazard classes Information not available Particle characteristics 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE POTASSIUM IODIDE	
Kinematic viscosity not available soluble in water Solubility soluble in water Partition coefficient: n-octanol/water not available Vapour pressure not available Density and/or relative density not available Relative vapour density not available Relative vapour density not available Particle characteristics not available 2. Other information 9.2.1. Information with regard to physical hazard classes Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % CCTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Solubility soluble in water Partition coefficient: n-octanol/water not available Vapour pressure not available Density and/or relative density not available Relative vapour density not available Particle characteristics 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	5.0
Partition coefficient: n-octanol/water not available Vapour pressure not available Density and/or relative density not available Relative vapour density not available Particle characteristics not available Particle characteristics not available Particle characteristics not available 9.2.1. Information 9.2.1. Information with regard to physical hazard classes Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Vapour pressure not available	
Density and/or relative density not available Relative vapour density not available Particle characteristics not available Particle characteristics not available Particle characteristics not available 9.2.1. Information with regard to physical hazard classes Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Density and/or relative density not available Relative vapour density not available Particle characteristics not available Particle characteristics not available Particle characteristics not available 9.2.1. Information with regard to physical hazard classes Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Relative vapour density not available Particle characteristics not available Particle characteristics not available P. Other information 9.2.1. Information with regard to physical hazard classes Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Particle characteristics not available e. Other information 9.2.1. Information with regard to physical hazard classes Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
2. Other information 9.2.1. Information with regard to physical hazard classes Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
9.2.1. Information with regard to physical hazard classes Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
9.2.1. Information with regard to physical hazard classes Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Information not available 9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
9.2.2. Other safety characteristics Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
Total solids (250°C / 482°F) 100,00 % ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
ECTION 10. Stability and reactivity 1. Reactivity There are no particular risks of reaction with other substances in normal conditions of use. 2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
 Reactivity There are no particular risks of reaction with other substances in normal conditions of use. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE 	
There are no particular risks of reaction with other substances in normal conditions of use. .2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
.2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
.2. Chemical stability The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
The product is stable in normal conditions of use and storage. POTASSIUM IODIDE	
POTASSIUM IODIDE	
May decompose on exposure to air and moisture. Stable under recommended storage conditions.	
.3. Possibility of hazardous reactions	
No hazardous reactions are foreseeable in normal conditions of use and storage.	
.4. Conditions to avoid	
None in particular. However the usual precautions used for chemical products should be respected.	
POTASSIUM IODIDE	
Tin/tin oxides.	

EN



Milwaukee Electronics Kft.

MI590B-0 - Peroxide Reagent B

FN

SECTION 10. Stability and reactivity .../>>

10.5. Incompatible materials

POTASSIUM IODIDE

Strong reducing agents, Nickel, Strong acids, and its alloys, Steel (all types and surface treatments), Aluminum, Alkali metals, Brass, Magnesium, Zinc, cadmium, Copper.

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

> POTASSIUM IODIDE LD50 (Oral):

1000 mg/kg Mouse

Not classified (no significant component)

Not classified (no significant component)

Not classified (no significant component)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

	Milwauke	e Electronics Kft.	Revision nr.7 Dated 09/05/2025 Printed on 09/05/2025	EN
milwaukee	MI590B-0 -	Peroxide Reagent B	Page n. 7 / 10 Replaced revision:6 (Dated 26/03/2024)	
SECTION 11. Toxicologica	I information / >>			
Does not meet the classifica	ation criteria for this hazard cla	ass		
STOT - REPEATED EXPOS	SURE			
Causes damage to organs				
ASPIRATION HAZARD				
Does not meet the classification	ation criteria for this hazard cla	ass		
11.2. Information on other haza	ards			
Based on the available data disruptors with human healt	-	n substances listed in the main European lists o	f potential or suspected endocrine	
SECTION 12. Ecologie	cal information			
Use this product according t or contaminate soil or veget		roid littering. Inform the competent authorities, sl	hould the product reach waterways	
12.1. Toxicity				
POTASSIUM IODIDE Toxicity to daphnia and othe	er aquatic invertebrates, EC50	0, Daphnia: 2,7 mg/l - 24 h.		
POTASSIUM IODIDE LC50 - for Fish		2190 mg/l/96h Oncorhynchus mykiss		
12.2. Persistence and degrada	ability			
POTASSIUM IODIDE Solubility in water Rapidly degradable		> 10000 mg/l		
12.3. Bioaccumulative potentia	al			
POTASSIUM IODIDE Partition coefficient: n-octan BCF	iol/water	-0,958 2,268		
12.4. Mobility in soil				
Information not available				
12.5. Results of PBT and vPvE	3 assessment			
On the basis of available da	ita, the product does not conta	ain any PBT or vPvB in percentage ≥ than 0,1%		
12.6. Endocrine disrupting pro	perties			
Based on the available data disruptors with environment	-	n substances listed in the main European lists o	f potential or suspected endocrine	
12.7. Other adverse effects				
Information not available				
SECTION 13. Dispose	al considerations			
13.1. Waste treatment method	S			
should be evaluated accord Disposal must be performed	ling to applicable regulations. d through an authorised waste arising from the use or dispers or possible need for PPE.	dered special hazardous waste. The hazard leve e management firm, in compliance with national sal of this product must be organised in accorda	and local regulations.	



Milwaukee Electronics Kft.

MI590B-0 - Peroxide Reagent B

FN

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 None

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable

Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017) WGK 1: Low hazard to waters

milwaukee	Milwaukee Electronics Kft.	Revision nr 7 Dated 090/5/2025 Printed on 090/5/2025 Printed on 090/5/2025
milwaukee	MI590B-0 - Peroxide Reagent B	Page n. 9 / 10 Page n. 9 / 10 Replaced revision:6 (Dated 26/03/2024)
ECTION 15. Regulatory ir	formation / >>	
2. Chemical safety assessn	nent	
·		ed in eaction 2
A chemical safety assessme	ent has not been performed for the preparation/for the substances indicat	ed in section 3.
ECTION 16. Other in	formation	
Text of hazard (H) indication	as mentioned in section 2-3 of the sheet:	
STOT RE 1 H372	Specific target organ toxicity - repeated exposure, category 1 Causes damage to organs through prolonged or repeated exposure	
LEGEND:		
- ATE: Acute Toxicity Estimation		
 CAS: Chemical Abstract S CE50: Effective concentral 	ion (required to induce a 50% effect)	
- CE: Identifier in ESIS (Euro - CLP: Regulation (EC) 1272	opean archive of existing substances) 2/2008	
- DNEL: Derived No Effect L	evel	
 EmS: Emergency Schedul GHS: Globally Harmonized 	e I System of classification and labeling of chemicals	
	ir Transport Association Dangerous Goods Regulation	
- IMDG: International Maritin	ne Code for dangerous goods	
 IMO: International Maritime INDEX: Identifier in Annex 		
- LC50: Lethal Concentration		
 - LD50: Lethal dose 50% - OEL: Occupational Exposu 	ire Level	
- PBT: Persistent, bioaccum	ulative and toxic	
 PEC: Predicted environme PEL: Predicted exposure let 		
- PMT: Persistent, mobile ar		
- PNEC: Predicted no effect		
 REACH: Regulation (EC) ' RID: Regulation concerning 	g the international transport of dangerous goods by train	
- TLV: Threshold Limit Value		
- TLV CEILING: Concentrati	on that should not be exceeded during any time of occupational exposur- age exposure limit	е.
- TWA STEL: Short-term ex	posure limit	
 VOC: Volatile organic Corr vPvB: Very persistent and 		
- vPvM: Very persistent and		
- WGK: Water hazard classe	es (German).	
GENERAL BIBLIOGRAPHY 1. Regulation (EC) 1907/200	, 06 (REACH) of the European Parliament	
2. Regulation (EC) 1272/200	08 (CLP) of the European Parliament	
•	3 (II Annex of REACH Regulation) 9 (I Atp. CLP) of the European Parliament	
	I (II Atp. CLP) of the European Parliament	
	2 (III Atp. CLP) of the European Parliament	
	3 (IV Atp. CLP) of the European Parliament 3 (V Atp. CLP) of the European Parliament	
9. Regulation (EU) 605/2014	(VI Atp. CLP) of the European Parliament	
	221 (VII Atp. CLP) of the European Parliament 18 (VIII Atp. CLP) of the European Parliament	
12. Regulation (EU) 2016/17	179 (IX Atp. CLP)	
13. Regulation (EU) 2017/7		
14. Regulation (EU) 2018/66 15. Regulation (EU) 2019/52		
16. Delegated Regulation (L	JE) 2018/1480 (XIII Atp. CLP)	
17. Regulation (EU) 2019/17 18. Delegated Regulation (U	148 JE) 2020/217 (XIV Atp. CLP)	
19. Delegated Regulation (L	JE) 2020/1182 (XV Atp. CLP)	
	JE) 2021/643 (XVI Atp. CLP)	
	IE) 2021/849 (XVII Atp. CLP) IE) 2022/692 (XVIII Atp. CLP)	
23. Delegated Regulation (L		



Milwaukee Electronics Kft.

MI590B-0 - Peroxide Reagent B

evision nr.7 ated 09/05/2025 inted on 09/05/2025 age n. 10 / 10 eplaced revision:6 (Dated 26/03/2024)

SECTION 16. Other information ... / >>

- 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
- 25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- 26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 04 / 05 / 09 / 10 / 11 / 12 / 13 / 15. EN