

# Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Code MI528-0  
Product name Iron Reagent

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Determination of Iron in Water Samples.

### 1.3. Details of the supplier of the safety data sheet

Name Milwaukee Electronics Kft.  
Full address Alsóikötő sor 11.  
District and Country H6726 Szeged Hungary  
Tel. +36-62-428-050  
Fax +36-62-428-051

e-mail address of the competent person responsible for the Safety Data Sheet info@milwaukeeinst.com

### 1.4. Emergency telephone number

For urgent inquiries refer to  
Austria tel.: +431 406 43 43 - Belgium tel.: 070/245.245 - Bulgaria tel.: +359 2 9154409 - Czech Republic tel.: +420 224 919 293, +420 224 915 402 - Denmark tel.: 8212 12 12 - Estonia tel.: 112 - Finland tel.: (09) 471 977 (direct) or (09) 4711 (exchange) - France tel. ORFILA (INRS) : + 33 (0)1 45 42 59 59 - Ireland tel.: 01 8092166 - Lithuania tel.: +370 5 236 20 52, +370 687 53378 - Malta tel: 2545 0000, Medicines & Poisons Info Office tel.: 2545 6504 - Norway tel.: 22 59 13 00 - Portugal tel.: 808 250 143 - Romania tel. 021.318.36.06 (8:00 – 15:00) – Slovakia tel.: +421 2 5477 4166 - Spain tel.: + 34 91 562 04 20 - Sweden tel.: 112; 08-331231 (9:00-17:00)

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

#### Hazard classification and indication:

|  |      |  |
|--|------|--|
| Acute toxicity, category 4   | H302 | Harmful if swallowed.                              |
| Serious eye damage, category 1                                     | H318 | Causes serious eye damage.                         |
| Hazardous to the aquatic environment, chronic toxicity, category 3 | H412 | Harmful to aquatic life with long lasting effects. |

### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

#### Hazard pictograms:



Signal words: Danger

Hazard statements:

## SECTION 2. Hazards identification ... / &gt;&gt;

|        |  |
|--------|--|
| H302   | Harmful if swallowed.                              |
| H318   | Causes serious eye damage.                         |
| H412   | Harmful to aquatic life with long lasting effects. |
| EUH031 | Contact with acids liberates toxic gas.            |

## Precautionary statements:

|                |  |
|----------------|--|
| P280           | Wear protective gloves / eye protection / face protection.   |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310           | Immediately call a POISON CENTER or doctor.  |

|           |  |
|-----------|--|
| Contains: | SODIUM METABISULFITE<br>SODIUM DITHIONITE<br>1,10-PHENANTHROLINE |
|-----------|--|

## 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

## SECTION 3. Composition/information on ingredients

## 3.2. Mixtures

## Contains:

| Identification              | x = Conc. %      | Classification (EC) 1272/2008 (CLP)                                  |
|-----------------------------|------------------|--|
| SODIUM METABISULFITE        |                  |  |
| INDEX 016-063-00-2          | $9 \leq x < 30$  | Acute Tox. 4 H302, Eye Dam. 1 H318, EUH031                           |
| EC 231-673-0                |                  | LD50 Oral: 1540  |
| CAS 7681-57-4               |                  |  |
| REACH Reg. 01-2119531326-45 |                  |  |
| SODIUM DITHIONITE           |                  |  |
| INDEX 016-028-00-1          | $9 \leq x < 25$  | Self-heat. 1 H251, Acute Tox. 4 H302, EUH031                         |
| EC 231-890-0                |                  | Self-heat. 1 H251: $\geq 50\%$                                       |
| CAS 7775-14-6               |                  | STA Oral: 500 mg/kg  |
| 1,10-PHENANTHROLINE         |                  |  |
| INDEX 613-092-00-8          | $0,5 \leq x < 1$ | Acute Tox. 3 H301, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 |
| EC 200-629-2                |                  | M=1  |
| CAS 5144-89-8               |                  | LD50 Oral: 132   |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## SECTION 4. First aid measures

## 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

## SODIUM METABISULFITE

Irritation and corrosion. Risk of serious damage to eyes.

## SODIUM DITHIONITE

Irritant effects, Cough, respiratory paralysis, Shortness of breath, pain, Diarrhoea, Nausea, Vomiting, collapse, muscular weakness, death.

**SECTION 4. First aid measures** ... / >>**4.3. Indication of any immediate medical attention and special treatment needed**

Information not available

**SECTION 5. Firefighting measures****5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

**UNSUITABLE EXTINGUISHING EQUIPMENT**

None in particular.

**5.2. Special hazards arising from the substance or mixture****HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

**SODIUM METABISULFITE**

Not combustible. Ambient fire may liberate hazardous vapours. Fire may cause evolution of: Sulphur oxides.

**1,10-PHENANTHROLINE**

Combustible. Development of hazardous combustion gases or vapours possible in the event of fire. Fire may cause evolution of: nitrogen oxides.

**SODIUM DITHIONITE**

Combustible material, danger of spontaneous combustion! Risk of dust explosion. Development of hazardous combustion gases or vapours possible in the event of fire. Fire may cause evolution of: Sulphur oxides.

**5.3. Advice for firefighters****GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

**SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS**

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

**SECTION 6. Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

**6.2. Environmental precautions**

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

**6.3. Methods and material for containment and cleaning up**

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

**6.4. Reference to other sections**

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. In order to avoid the risk of fires and explosions, never use compressed air when handling. Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Avoid leakage of the product into the environment. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Keep the product in clearly labelled containers. Keep containers well sealed. Store in a ventilated and dry place, far away from sources of ignition. Avoid violent blows. Avoid overheating. Avoid contact with water.

### 7.3. Specific end use(s)

Information not available

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

#### Regulatory References:

|     |                             |  |
|-----|-----------------------------|--|
| BEL | Belgique                    | Liste de valeurs limites d'exposition aux agents chimiques, livre VI du code du bien-être au travail   |
| DNK | Danmark                     | Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019  |
| ESP | España                      | Límites de exposición profesional para agentes químicos en España 2021   |
| FRA | France                      | Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS   |
| GRC | Ελλάδα                      | Π.Δ. 26/2020 (ΦΕΚ 50/Α' 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ "σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιογόνους παράγοντες κατά την εργασία"» |
| HRV | Hrvatska                    | Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)   |
| IRL | Éire                        | 2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019)  |
| NOR | Norge                       | Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255  |
| NLD | Nederland                   | Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit  |
| GBR | United Kingdom<br>TLV-ACGIH | EH40/2005 Workplace exposure limits (Fourth Edition 2020)<br>ACGIH 2021  |

## SECTION 8. Exposure controls/personal protection ... / &gt;&gt;

## SODIUM METABISULFITE

| Threshold Limit Value                          |                      |          |         |                   |                    |                        |         |              |
|--|----------------------|----------|---------|-------------------|--------------------|------------------------|---------|--------------|
| Type   | Country              | TWA/8h   |         | STEL/15min        |                    | Remarks / Observations |         |              |
|  |                      | mg/m3    | ppm     | mg/m3             | ppm                |                        |         |              |
| VLEP   | BEL                  | 5        |         |                   |                    |                        |         |              |
| TLV  | DNK                  | 5        |         |                   |                    |                        |         |              |
| VLA  | ESP                  | 5        |         |                   |                    |                        |         |              |
| VLEP   | FRA                  | 5        |         |                   |                    |                        |         |              |
| TLV  | GRC                  | 5        |         |                   |                    |                        |         |              |
| GVI/KGVI                                       | HRV                  | 5        |         |                   |                    |                        |         |              |
| OELV   | IRL                  | 5        |         |                   |                    |                        |         |              |
| TLV  | NOR                  | 5        |         |                   |                    |                        |         |              |
| TGG  | NLD                  | 5        |         |                   |                    |                        |         |              |
| WEL  | GBR                  | 5        |         |                   |                    |                        |         |              |
| TLV-ACGIH                                      |                      | 5        |         |                   |                    |                        |         |              |
| Predicted no-effect concentration - PNEC       |                      |          |         |                   |                    |                        |         |              |
| Normal value in fresh water                    |                      |          |         |                   |                    | 1                      | mg/l    |              |
| Normal value in marine water                   |                      |          |         |                   |                    | 0,1                    | mg/l    |              |
| Normal value of STP microorganisms             |                      |          |         |                   |                    | 75,4                   | mg/l    |              |
| Health - Derived no-effect level - DNEL / DMEL |                      |          |         |                   |                    |                        |         |              |
| Route of exposure                              | Effects on consumers |          | Chronic | Chronic           | Effects on workers |                        |         |              |
|  | Acute                | Acute    |         |                   | Acute              | Acute                  | Chronic | Chronic      |
|  | local                | systemic | local   | systemic          | local              | systemic               | local   | systemic     |
| Oral   |                      |          | VND     | 8,6<br>mg/kg bw/d |                    |                        |         |              |
| Inhalation                                     |                      |          | VND     | 66<br>mg/m3       |                    |                        | VND     | 225<br>mg/m3 |

## SODIUM DITHIONITE

|  |                      |          |         |                   |                    |          |         |              |
|--|----------------------|----------|---------|-------------------|--------------------|----------|---------|--------------|
| Predicted no-effect concentration - PNEC       |                      |          |         |                   |                    |          |         |              |
| Normal value in fresh water                    |                      |          |         |                   |                    | 1        | mg/l    |              |
| Normal value in marine water                   |                      |          |         |                   |                    | 0,1      | mg/l    |              |
| Normal value of STP microorganisms             |                      |          |         |                   |                    | 8,98     | mg/l    |              |
| Health - Derived no-effect level - DNEL / DMEL |                      |          |         |                   |                    |          |         |              |
| Route of exposure                              | Effects on consumers |          | Chronic | Chronic           | Effects on workers |          |         |              |
|  | Acute                | Acute    |         |                   | Acute              | Acute    | Chronic | Chronic      |
|  | local                | systemic | local   | systemic          | local              | systemic | local   | systemic     |
| Oral   |                      |          | VND     | 7,9<br>mg/kg bw/d |                    |          |         |              |
| Inhalation                                     |                      |          | VND     | 61<br>mg/m3       |                    |          | VND     | 206<br>mg/m3 |

## Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

## 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

If the product may or must come into contact or react with acids, suitable technical and/or organisational measures should be taken to prevent the development of toxic and/or inflammable gases.

## HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

## SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

## EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

## SECTION 8. Exposure controls/personal protection ... / >>

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

### RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| Properties                             | Value            | Information  |
|--|------------------|--|
| Appearance                             | solid powder     |  |
| Colour                                 | ivory            |  |
| Odour                                  | pungent          |  |
| Melting point / freezing point         | not available    |  |
| Initial boiling point                  | not applicable   |  |
| Flammability                           | not available    |  |
| Lower explosive limit                  | not available    |  |
| Upper explosive limit                  | not available    |  |
| Flash point                            | not applicable   |  |
| Auto-ignition temperature              | not available    |  |
| Decomposition temperature              | not available    |  |
| pH                                     | 5.5 - 6.0        | Method:ASTM D1293-18<br>Concentration: 1.7 %<br>Temperature: 25 °C |
| Kinematic viscosity                    | not available    |  |
| Solubility                             | soluble in water |  |
| Partition coefficient: n-octanol/water | not available    |  |
| Vapour pressure                        | not available    |  |
| Density and/or relative density        | 2                |  |
| Relative vapour density                | not available    |  |
| Particle characteristics               | not available    |  |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Information not available

#### 9.2.2. Other safety characteristics

|                              |                |
|------------------------------|----------------|
| Total solids (250°C / 482°F) | 100,00 %       |
| Explosive properties         | not applicable |
| Oxidising properties         | not applicable |

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### SODIUM DITHIONITE

Danger of spontaneous combustion! Self-ignition possible due to air moisture. Risk of dust explosion.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 1,10-PHENANTHROLINE

Sensitivity to light.

#### SODIUM DITHIONITE

In case of decomposition in closed containers and tubes risk of bursting due to buildup of overpressure.

**SECTION 10. Stability and reactivity** ... / >>**10.3. Possibility of hazardous reactions**

The powders are potentially explosive when mixed with air.

**SODIUM METABISULFITE**

Generates dangerous gases or fumes in contact with: acids. Exothermic reaction with: Oxidizing agents, nitrites, nitrates, Sulphides.

**1,10-PHENANTHROLINE**

Violent reactions possible with: Oxidizing agents, acids.

**SODIUM DITHIONITE**

A risk of explosion and/or of toxic gas formation exists with the following substances: acids, Violent reactions possible with: Oxidizing agents, Water, salts of oxyhalogenic acids.

**10.4. Conditions to avoid**

Avoid environmental dust build-up.

**SODIUM DITHIONITE**

Exposure to moisture. Heating (decomposition). Caution! Temperatures > 50°C cause evolution of gas in closed containers. Overpressure produces a risk of bursting.

**10.5. Incompatible materials**

Information not available

**10.6. Hazardous decomposition products**

Information not available

**SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****SODIUM METABISULFITE**

Eye irritation, Rabbit, Result: Eye irritation, Causes serious eye damage.

**SODIUM DITHIONITE**

Acute inhalation toxicity, Symptoms: Irritation symptoms in the respiratory tract, Cough, Shortness of breath - Skin irritation rabbit, Result: No irritation - Eye irritation, Possible damages: slight irritation - Sensitisation, May produce an allergic reaction.

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

1297,75 mg/kg

ATE (Dermal) of the mixture:

Not classified (no significant component)

## SECTION 11. Toxicological information ... / >>

### SODIUM METABISULFITE

LD50 (Dermal): > 2000 mg/kg Rat  
LD50 (Oral): 1540 mg/kg Rat

### 1,10-PHENANTHROLINE

LD50 (Oral): 132 mg/kg Rat

### SODIUM DITHIONITE

LD50 (Oral): 2500 mg/kg Rat  
STA (Oral): 500 mg/kg estimate from table 3.1.2 of Annex I of the CLP  
(figure used for calculation of the acute toxicity estimate of the mixture)  
LC50 (Inhalation mists/powders): > 5,5 mg/l/4h Rat

### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

### RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

### 12.1. Toxicity

#### SODIUM METABISULFITE

EC50 - for Crustacea 89 mg/l/48h Daphnia magna  
EC50 - for Algae / Aquatic Plants 48 mg/l/72h Desmodesmus subspicatus

#### SODIUM DITHIONITE

LC50 - for Fish 46 mg/l/96h Leuciscus idus  
EC50 - for Crustacea 98 mg/l/48h Daphnia magna  
EC50 - for Algae / Aquatic Plants 206 mg/l/72h Green algae



**SECTION 12. Ecological information** ... / >>**12.2. Persistence and degradability****SODIUM METABISULFITE**

Solubility in water

&gt; 10000 mg/l

Degradability: information not available

**SODIUM DITHIONITE**

Solubility in water

&gt; 10000 mg/l

Degradability: information not available

**12.3. Bioaccumulative potential****SODIUM METABISULFITE**

Partition coefficient: n-octanol/water

-3,7 Log Kow

**1,10-PHENANTHROLINE**

Partition coefficient: n-octanol/water

1,78 Log Kow

**SODIUM DITHIONITE**

Partition coefficient: n-octanol/water

&lt; -4,7 Log Kow

**12.4. Mobility in soil**

Information not available

**12.5. Results of PBT and vPvB assessment**On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.**12.6. Endocrine disrupting properties****SODIUM DITHIONITE**

Biological effects: Reacts with water to form toxic decomposition products.

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

**12.7. Other adverse effects**

Information not available

**SECTION 13. Disposal considerations****13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

**CONTAMINATED PACKAGING**

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

**SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

**14.1. UN number or ID number**

not applicable

**14.2. UN proper shipping name**

not applicable



## SECTION 16. Other information ... / >>

|                   |  |
|-------------------|--|
| Aquatic Chronic 3 | Hazardous to the aquatic environment, chronic toxicity, category 3 |
| H251              | Self-heating: may catch fire.                                      |
| H301              | Toxic if swallowed.  |
| H302              | Harmful if swallowed.  |
| H318              | Causes serious eye damage.   |
| H400              | Very toxic to aquatic life.  |
| H410              | Very toxic to aquatic life with long lasting effects.              |
| H412              | Harmful to aquatic life with long lasting effects.                 |
| EUH031            | Contact with acids liberates toxic gas.                            |

### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

### GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)

## SECTION 16. Other information ... / &gt;&gt;

- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

## Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

## CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

## Changes to previous review:

The following sections were modified:

03 / 08 / 09 / 11 / 12.