• • • •	Milwa	ukee Electronics Kft.	Revision nr.5 E Dated 26/07/2024 Printed on 26/07/2024
milwaukee MA9070-2 (Afte		lixing) - Zero Oxygen Solution, Component I+II	Page n. 1/10 Replaced revision-4 (Dated 09/12/2022)
		Safety Data Sheet	
		Safety Data Sheet	
	According to Anne	x II to REACH - Regulation 2020/878 and to Annex	II TO UK REACH
SECTION 1. Identifica	tion of the substa	ance/mixture and of the company/und	lertaking
1.1. Product identifier			
Code Product name		MA9070-2 (After Mixing) Zero Oxygen Solution, Component I+II	
.2. Relevant identified uses of	f the substance or mixt	ure and uses advised against	
Intended use		Calibration of Dissolved Oxygen Probes.	
1.3. Details of the supplier of the	ne safety data sheet		
Name		Milwaukee Electronics Kft.	
Full address District and Country		Alsókikötő sor 11. H6726 Szeged	
		Hungary	
		Tel. +36-62-428-050	
e-mail address of the comported responsible for the Safety D		Fax +36-62-428-051	
.4. Emergency telephone nun	nber		
For urgent inquiries refer to		Austria tel.: +431 406 43 43 - Belgium tel.: 070/2 29154409 - Czech Republic tel.: +420 224 919 2 8212 12 12 - Estonia tel.: 112 - Finland tel.: (09) (exchange) - France tel. ORFILA (INRS) : + 33 018092166 - Lithuania tel.: +370 5 236 20 52, + Medicines & Poisons Info Office tel.: 2545 6504 tel.: 808 250 143 - Romania tel.: 021.318.36.06 5477 4166 - Spain tel.: + 34 91 562 04 20 - Swe	293, +420 224 915 402 - Danmark tel.: 471 977 ((direct) or (09) 47711 (0)1 45 42 59 59 - Ireland tel.: 370 687 53378 - Malta tel.: 2545 0000, - Norway tel.: 22 59 13 00 - Portugal (8:00 - 15:00) - Slovakia tel.: +421 2
SECTION 2. Hazards identifica	ation		
2.1. Classification of the substa	ance or mixture		
amendments and suppleme 2020/878.	ents). The product thus	the provisions set forth in (EC) Regulation 1272/20 requires a safety datasheet that complies with the	provisions of (EU) Regulation
Any additional information of Hazard classification and in	-	health and/or the environment are given in sections	s 11 and 12 of this sheet.
Eye irritation, category 2		H319 Causes serio	ous eye irritation.
2.2. Label elements			
Hazard labelling pursuant to	EC Regulation 1272/2	2008 (CLP) and subsequent amendments and supp	plements.
Hazard pictograms:			
Signal words:	Warning		

Hazard statements: H319 EUH031

Causes serious eye irritation. Contact with acids liberates toxic gas.

Precautionary statements:

	Milwaukee Electronics Kft.	Revision nr.5 Dated 26/07/2024 Printed on 26/07/2024	EN
om milwaukee	MA9070-2 (After Mixing) - Zero Oxygen Solution, Component I+II	Page n. 2 / 10 Replaced revision:4 (Dated 09/12/2022)	
SECTION 2. Hazards ident	ification / >>		
P264	Wash hands and skin thoroughly after handling.		
P280 P305+P351+P338	Wear eye protection / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove c	pontant langua if propont and apply to	
F3037F3317F330	do. Continue rinsing.	contact lenses, if present and easy to	
P310	Immediately call a POISON CENTER or doctor.		
2.3. Other hazards			
On the basis of available da	ata, the product does not contain any PBT or vPvB in percentage \geq than 0,15	%.	
The product does not conta	in substances with endocrine disrupting properties in concentration $\ge 0.1\%$.		
SECTION 3. Composition/info	rmation on ingredients		
3.2. Mixtures			
Contains:			

Identification		x = Conc. %	Classification (EC) 1272/2008 (CLP)
SODIUM MET/ INDEX EC CAS REACH Reg.	ABISULFITE 016-063-00-2 231-673-0 7681-57-4 01-2119531326-45	1≤x< 3	Acute Tox. 4 H302, Eye Dam. 1 H318, EUH031 LD50 Oral: 1540 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

SODIUM METABISULFITE Irritation and corrosion. Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

SODIUM METABISULFITE Not combustible. Ambient fire may liberate hazardous vapours. Fire may cause evolution of: Sulphur oxides.

@EPY 11.3.0 - SDS 1004.14

MA9070-2 (After Mixing) - Zero Oxygen Solution, Component I+II

FN

SECTION 5. Firefighting measures ... / >>

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

BEL DNK	Belgique Danmark	Liste de valeurs limites d'exposition aux agents chimiques, livre VI du code du bien-être au travail Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ "σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία"»
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
IRL	Éire	2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019)

EN Milwaukee Electronics Kft. ∠6/07/2024 'on 26/07/2024 . 4 / 10 3d reviet (m) milwaukee MA9070-2 (After Mixing) - Zero Oxygen Solution, Component I+II ion:4 (Dated 09/12/2022) SECTION 8. Exposure controls/personal protection .../>> NOR Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i Norge arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255 Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, NLD Nederland eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit EH40/2005 Workplace exposure limits (Fourth Edition 2020) GBR United Kingdom **TLV-ACGIH** ACGIH 2021 SODIUM METABISULFITE Threshold Limit Value TWA/8h Country STEL/15min Remarks / Observations Type mg/m3 mg/m3 ppm ppm VLEP BFI 5 TLV DNK 5 5 VLA ESP VLEP FRA 5 5 TLV GRC GVI/KGVI 5 HRV 5 OELV IRL TLV NOR 5 5 TGG NLD WEL 5 GBR

TLV-ACGIH 5 Predicted no-effect concentration - PNEC

	Normal value in fresh water	1	mg/l
	Normal value in marine water	0,1	mg/l
	Normal value of STP microorganisms	75,4	mg/l
ш	and the Derived peroffect level DNEL (DMEL		

lealth - Denved no-enec								
Effects on consumers			Effects on workers					
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	8,6				
				mg/kg bw/d				
Inhalation			VND	66			VND	225
				mg/m3				mg/m3

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

If the product may or must come into contact or react with acids, suitable technical and/or organisational measures should be taken to prevent the development of toxic and/or inflammable gases.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.


om milwaukee	Milwaukee Electron MA9070-2 (After Mixing) - Zero Oxygen Solu		Revision nr.5 Dated 26/07/2024 Printed on 26/07/2024 Page n. 5/ 10 Replaced revision:4 (Dated 09/12/2022)	E
SECTION 8. Exposure con	trols/personal protection / >>			
ENVIRONMENTAL EXPOS The emissions generated b compliance with environme	y manufacturing processes, including those gene	erated by ventilation equipme	ent, should be checked to ensure	
SECTION 9. Physical and che	mical properties			
9.1. Information on basic phys	ical and chemical properties			
Properties	Value	Informa	ation	
Appearance	liquid			
Colour Odour	colourless odourless			
Melting point / freezing poir				
Initial boiling point	not available			
Flammability	not available			
Lower explosive limit Upper explosive limit	not available not available			
Flash point	not applicable			
Auto-ignition temperature	not available			
Decomposition temperature	e not available 4,5	Metho	d:ASTM D1293-18	
pri	т,5		erature: 25 °C	
Kinematic viscosity	not available	·		
Solubility Partition coefficient: n-octar	soluble in water nol/water not available			
Vapour pressure	17,5 mmHg			
Density and/or relative den				
Relative vapour density Particle characteristics	not available not applicable			
9.2. Other information				
9.2.1. Information with rega	rd to physical hazard classes			
Information not available				
9.2.2. Other safety character	eristics			
Total solids (250°C / 482°F				
Explosive properties Oxidising properties	not applicable not applicable			
SECTION 10. Stability	and reactivity			
I0.1. Reactivity				
Information not available				
10.2. Chemical stability				
10.3. Possibility of hazardous	reactions			
-	auses the development of toxic gases.			
SODIUM METABISULFITE				
Generates dangerous ga 10.4. Conditions to avoid	ases or fumes in contact with: acids. Exothermic	reaction with: Oxidizing ager	nts, nitrites, nitrates, Sulphides.	
Information not available				
10.5. Incompatible materials				
Information not available				
0.6. Hazardous decompositio	on products			
			➢EPY 11.3.0 - S	DC 1004 1

MA9070-2 (After Mixing) - Zero Oxygen Solution, Component I+II

Information not available

SECTION	ON 11. Toxicological information				
contair It is the	In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.				
11.1. Infoi	1.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008				
	SODIUM METABISULFITE Eye irritation, Rabbit, Result: Eye irritation, Causes s	erious eye damage.			
Metabo	olism, toxicokinetics, mechanism of action and other in	formation			
Informa	ation not available				
Informa	ation on likely routes of exposure				
Informa	ation not available				
Delaye	d and immediate effects as well as chronic effects from	n short and long-term exposure			
Informa	ation not available				
Interac	tive effects				
Informa	ation not available				
ACUTE					
ATE (C	nhalation) of the mixture: Dral) of the mixture: Dermal) of the mixture:	Not classified (no significant component) >2000 mg/kg Not classified (no significant component)			
	SODIUM METABISULFITE LD50 (Dermal): LD50 (Oral):	> 2000 mg/kg Rat 1540 mg/kg Rat			
SKIN C	CORROSION / IRRITATION				
Does n	ot meet the classification criteria for this hazard class				
SERIO	US EYE DAMAGE / IRRITATION				
Causes	s serious eye irritation				
RESPI	RATORY OR SKIN SENSITISATION				
Does n	ot meet the classification criteria for this hazard class				
GERM	CELL MUTAGENICITY				
Does n	ot meet the classification criteria for this hazard class				
CARCI	NOGENICITY				
Does n	ot meet the classification criteria for this hazard class				
REPRO	DDUCTIVE TOXICITY				
Does n	Does not meet the classification criteria for this hazard class				
STOT	- SINGLE EXPOSURE				
Does n	ot meet the classification criteria for this hazard class				
STOT	- REPEATED EXPOSURE				
			EPY 11.3.0 - SDS 1004.14		

milwaukee		ee Electronics Kft.	Revision nr.5 Dated 26/07/2024 Printed on 26/07/2024 Page n. 7 / 10
	MA9070-2 (After Mixing)) - Zero Oxygen Solution, Component I+II	Replaced revision:4 (Dated 09/12/2022)
SECTION 11. Toxicologica	Il information / >>		
Does not meet the classification	ation criteria for this hazard c	class	
ASPIRATION HAZARD			
Does not meet the classification	ation criteria for this hazard c	class	
11.2. Information on other haz	ards		
Based on the available data disruptors with human healt	•	in substances listed in the main European lists o	of potential or suspected endocrine
SECTION 12. Ecologi	cal information		
Use this product according or contaminate soil or veget	а а.	void littering. Inform the competent authorities, s	should the product reach waterways
12.1. Toxicity			
SODIUM METABISULFITE EC50 - for Crustacea EC50 - for Algae / Aquatic F		89 mg/l/48h Daphnia magna 48 mg/l/72h Desmodesmus subspicatus	
12.2. Persistence and degrada	ability		
SODIUM METABISULFITE Solubility in water Degradability: information n		> 10000 mg/l	
12.3. Bioaccumulative potentia	al		
SODIUM METABISULFITE Partition coefficient: n-octar		-3,7 Log Kow	
12.4. Mobility in soil			
Information not available			
12.5. Results of PBT and vPvE	3 assessment		
On the basis of available da	ata, the product does not con	tain any PBT or vPvB in percentage ≥ than 0,1%	%.
12.6. Endocrine disrupting pro	perties		
Based on the available data disruptors with environment	•	in substances listed in the main European lists o	of potential or suspected endocrine
12.7. Other adverse effects			
Information not available			
SECTION 13. Dispose	al considerations		
13.1. Waste treatment method	ls		
should be evaluated accord Disposal must be performed CONTAMINATED PACKAG	ling to applicable regulations. d through an authorised wast GING	sidered special hazardous waste. The hazard lev te management firm, in compliance with nationa d of in compliance with national waste managen	and local regulations.
SECTION 14. Transpo	ort information		
The product is not dangerou	us under current provisions o	of the Code of International Carriage of Dangero ds Code (IMDG), and of the International Air Tra	



MA9070-2 (After Mixing) - Zero Oxygen Solution, Component I+II

tevision nr.5 ated 26/07/2024 rinted on 26/07/2024 age n. 9 / 10 leplaced revision:4 (Dated 09/12/2022)

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
EUH031	Contact with acids liberates toxic gas.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

FN



MA9070-2 (After Mixing) - Zero Oxygen Solution, Component I+II

EN

SECTION 16. Other information ... / >>

- The Merck Index. 10th Edition
- Handling Chemical Safety

- INRS - Fiche Toxicologique (toxicological sheet)

- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website - ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 08 / 09 / 12.